

Hose lines with that little extra. From AIRKO.





Item name	Illustration	Hose length [m]	Diameter [mm]	Maximum pressure [bar]	Order no.	EAN code
PVC compressed air hose – transparent with fabric inlay, roll	1	50	12 x 6	10	447.306	9009261473067
PVC hose set – transparent with fabric inlay, complete		10	12 x 6	10	447.324	9009261473241
PVC hose set – transparent with fabric inlay, complete		20	12 x 6	10	447.328	9009261473289
PVC compressed air hose – transparent with fabric inlay, roll		50	14 x 8	10	447.302	9009261473029
PVC hose set – transparent with fabric inlay, complete		10	14 x 8	10	447.332	9009261473326
PVC hose set – transparent with fabric inlay, complete		20	14 x 8	10	447.336	9009261473364
PVC compressed air hose – transparent with fabric inlay, roll		50	16 x 10	10	447.304	9009261473043
PVC compressed air hose – transparent with fabric inlay, roll		50	19 x 13	10	447.300	900926147300
Rubber hose set – oil-resistant with fabric inlay, complete	2	10	14 x 6	20	447.316	9009261473166
Rubber hose set – oil-resistant with fabric inlay, complete		20	14 x 6	20	447.320	900926147320
Rubber hose set – oil-resistant with fabric inlay, complete		10	19 x 10	20	447.340	900926147340
Rubber hose set – oil-resistant with fabric inlay, complete		20	19 x 10	20	447.344	900926147344
Rubber compressed air hose – oil-resistant with fabric inlay, roll	3	50	19 x 10	20	447.308	900926147308
Rubber compressed air hose – oil-resistant with fabric inlay, roll		50	21 x 13	20	447.310	900926147310
Rubber compressed air hose – oil-resistant with fabric inlay, roll		50	25 x 16	20	447.312	900926147312
Rubber compressed air hose – oil-resistant with fabric inlay, roll		50	29 x 19	20	447.314	900926147314
Hose coil with swivel joint and bend protection, complete	4	5	8 x 6	10	447.348	900926147348
Hose coil with swivel joint and bend protection, complete		10	8 x 6	10	447.352	900926147352
Hose coil with swivel joint and bend protection, complete		15	8 x 6	10	447.356	900926147356
PU hose coil – with swivel joint and bend protection, complete	5	12	9.5 x 6.5	15	447.360	900926147360
PU hose coil – with swivel joint and bend protection, complete		15	12 x 8	15	447.362	900926147362
PU hose set - reinforced and oil-resistant, complete	6	20	12 x 8	15	447.370	900926147370
Hose reel with PU hose – rotatable, with hand crank, oil-resistant	7	30	12 x 8	15	447.372	9009261473722
Automatic hose retractor with reinforced PU hose, oil-resistant	8	15	12 x 8	20	447.366	900926147366
Automatic hose retractor with reinforced PU hose, oil-resistant	9	30	13 x 9.5	20	447.368	900926147368
* Drigg nor motro. Subject to technical madifications						

* Price per metre. Subject to technical modifications.



Plug in and you're ready to go – with AIRKO.

	Item name	Illustration	Order no.	EAN code
10	EURO-NORM coupling with brass valve body, one-han	ded operation and max. fl	low capaci [.]	ty of 1500 l/min
2	Coupling, female thread 1/4	1	426.076	9009261260766
	Coupling, female thread 3/8		426.078	9009261260780
	Coupling, female thread 1/2		426.074	9009261260742
	Coupling, male thread 1/4	2	400.952	9009261009523
113	Coupling, male thread 3/8		400.954	9009261009547
	Coupling, male thread 1/2		400.950	9009261009509
	Coupling ST 6 mm	3	426.080	9009261260803
3	Coupling ST 8 mm		426.082	9009261260827
	Coupling ST 9 mm		426.084	9009261260841
	Coupling ST 10 mm		426.086	9009261260868
	Coupling ST 13 mm		426.088	900926126088
	Premium industrial coupling with ultra-flow steel val	ve body and max. flow ca	pacity of 2	800 l/min
	Professional steel coupling, female thread 1/2"	4	426.096	9009261240966
	Professional steel coupling, female thread 1/2 Professional steel coupling, female thread 1/4"	-	426.098	900926124098
	Professional steel coupling, female thread 3/8"		426.100	900926124098
5	Professional steel coupling, nellate thread 1/2"	5	400.956	900926100956
	Professional steel coupling, male thread 1/2"	J	400.958	900926100958
			400.958	900926100958
	Professional steel coupling, male thread 3/8"		400.900	900920100900
	Plug-in nipple, female thread 1/8	6	426.162	9009261261626
	Plug-in nipple, female thread 1/4		426.160	900926126160
	Plug-in nipple, female thread 3/8		426.164	900926126164
(T)	Plug-in nipple, female thread 1/2		426.158	900926126158
蚩	Plug-in nipple, male thread 1/8	7	426.156	900926126156
 7	Plug-in nipple, male thread 1/4		426.150	900926126150
Long and	Plug-in nipple, male thread 3/8		426.152	900926126152
and the second s	Plug-in nipple, male thread 1/2		426.154	900926126154
	Plug-in nozzle 6 mm	8	426.170	900926126170
	Plug-in nozzle 8 mm		426.172	900926126172
	Plug-in nozzle 9 mm		426.174	9009261261749
ß	Plug-in nozzle 10 mm		426.166	900926126166
(.8.)	Plug-in nozzle 13 mm		426.168	900926126168
8	Threaded nozzle, female thread $1/4 - 6$ mm	9	426.144	9009261261442
哥	Threaded nozzle, female thread 1/4 – 9 mm		426.138	900926126138
	Threaded nozzle, female thread $3/8 - 6$ mm		426.146	9009261261466
	Threaded nozzle, female thread $3/8 - 9$ mm		426.148	900926126148
	Threaded nozzle, female thread $3/8 - 13$ mm		426.060	900926126060
	Threaded nozzle, female thread $1/2 - 6$ mm		426.136	900926126136
			426.140	900926126140
10	10readed 0077re remare inread $172 - 9 mm$		120.140	000020120140
	Threaded nozzle, female thread $1/2 - 9$ mm Threaded nozzle, female thread $1/2 - 13$ mm		426 142	9009261261/29
9	Threaded nozzle, female thread $1/2 - 9$ mm Threaded nozzle, female thread $1/2 - 13$ mm Threaded nozzle, male thread $1/4 - 6$ mm		426.142 426.126	9009261261428



Plug in and you're ready to go - with AIRKO.

	Item name	Illustration	Order no.	EAN code
			110.	
		10	100.100	
13	Threaded nozzle, male thread 3/8 – 6 mm	13	426.132	9009261261329
13	Threaded nozzle, male thread 3/8 – 9 mm		426.134	9009261261343
	Threaded nozzle, male thread 3/8 – 13 mm		426.130	9009261261305
	Threaded nozzle, male thread 1/2 – 6 mm		426.122	9009261261220
	Threaded nozzle, male thread 1/2 – 9 mm		426.124	9009261261244
	Threaded nozzle, male thread 1/2 – 13 mm		426.120	9009261261206
	Ball valve, female/female thread 1/4	14	426.062	0000061060600
		14	420.062	9009261260629
14 15	Ball valve, female/female thread 3/8			9009261009464
	Ball valve, female/female thread 1/2	15	426.040	9009261260407
	Ball valve, female/male thread 1/2	15	400.944	9009261009440
	2-way distributor, female thread 3/8 with coupling	16	426.254	9009261262548
	2-way distributor, female thread 1/2 with coupling		426.250	9009261262500
	3-way distributor, female thread 3/8 with coupling	17	426.256	9009261262562
	3-way distributor, female thread 1/2 with coupling		426.252	9009261262524
	2-way distributor block complete	18	426.258	9009261262586
16 17 18		10	120.200	5555251202000
T T	Hose connector Y 6 mm	19	426.022	9009261260223
-	Hose connector Y 8 mm		426.024	9009261260247
	Hose connector Y 10 mm		426.026	9009261260261
	Hose connector GS 4 mm	20	426.028	9009261260285
	Hose connector GS 6 mm		426.030	9009261260308
	Hose connector GS 8 mm		426.032	9009261260322
6.4 8	Hose connector GS 10 mm		426.034	9009261260346
	Hose connector T 6 mm	21	426.016	9009261260162
19 20 21	Hose connector T 8 mm		426.018	9009261260186
B B mailine	Hose connector T 10 mm		426.020	9009261260209
	Hose connector 6 mm	22	426.092	9009261260926
	Hose connector 9 mm		426.094	9009261260940
	Hose connector 13 mm		426.090	9009261260902
₩	Hose clamp 8–16 mm	23	426.038	9009261260384
(4) s	Hose clamp 13–20 mm		426.036	9009261260360
22	Hose clips for outside 5-7 mm	24	426.000	9009261260001
	Hose clips for outside 7–9 mm	24	426.000	9009261260001
	Hose clips for outside 9–11 mm		426.002	9009261260025
W.	Hose clips for outside 11–13 mm		426.004	9009261260049
	Hose clips for outside 13–15 mm		426.008	9009261260083
	Hose clips for outside 15–18 mm		426.008	9009261260087
\frown	Hose clips for outside 17–20 mm		426.010	9009261260100
23 24	Hose clips for outside 20–23 mm		426.012	9009261260124
23 24			720.014	5505201200140
	Double nipple 1/8	25	426.104	9009261261046
	Double nipple 1/4		400.882	9009261008825
	Double nipple 3/8		426.102	9009261261022
	Double nipple 1/2		400.874	9009261008740
	Reducing double nipple 1/4 – 1/8	26	426.180	9009261261800
	Reducing double nipple 3/8 – 1/8		426.184	9009261261848
25 26	Reducing double nipple 3/8 – 1/4		426.182	9009261261824
	Reducing double nipple 1/2 – 3/8		426.178	9009261261787
	Reducing double nipple 1/2 – 1/4		426.176	9009261261763



Plug in and you're ready to go – with AIRKO.









Item name	Illustration	Order no.	EAN code
Reduction nipple with 1/8 male thread / 1/8 female thread	27	426.210	9009261262104
Reduction nipple with 1/8 male thread / 1/4 female thread		400.678	9009261006784
Reduction nipple with 1/4 male thread / 1/8 female thread		426.212	9009261262128
Reduction nipple with 1/4 male thread / 1/4 female thread		426.194	9009261261947
Reduction nipple with 1/4 male thread / 3/8 female thread		426.200	9009261262005
Reduction nipple with 3/8 male thread / 1/4 female thread		426.198	9009261261985
Reduction nipple with 3/8 male thread / 3/8 female thread		426.214	9009261262142
Reduction nipple with 3/8 male thread / 1/2 female thread		400.992	9009261009921
Reduction nipple with 1/2 male thread / 3/8 female thread		426.206	9009261262067
Reduction nipple with 1/2 male thread / 1/2 female thread		426.208	9009261262081
Reduction with 1/4 male thread / 1/8 female thread	28	400.994	9009261009945
Reduction with 3/8 male thread / 1/8 female thread		426.204	9009261262043
Reduction with 3/8 male thread / 1/4 female thread		426.196	9009261261961
Reduction with 1/2 male thread / 1/4 female thread		426.202	9009261262029
Reduction with 1/2 male thread / 3/8 female thread		400.996	9009261009969
Reduction with 3/4 male thread / 1/2 female thread		400.676	9009261006760
T-piece with male thread 1/4	29	401.100	9009261011009
T-piece with male thread 3/8		426.216	9009261262166
T-piece with male thread 1/2		426.218	9009261262180
Cleave with however head C 1/0	30	406 100	9009261261886
Sleeve with hexagon head G 1/8 Sleeve with hexagon head G 1/4	30	426.188 426.192	9009261261886
Sleeve with hexagon head G 3/8		426.192	9009261261923
Sleeve with hexagon head G 1/2		426.186	9009261261862
		420.100	3003201201002
Ball valve G 1/8	31	426.056	9009261260568
Ball valve G 1/4		426.046	9009261260469
Ball valve G 3/8		426.054	9009261260544
Ball valve G 1/2		426.066	9009261260667
Ball valve G 3/4		426.052	9009261260520
Ball valve G 1		426.064	9009261260643
Ball valve G 1 1/4		426.044	9009261260445
Ball valve G 1 1/2		426.042	9009261260421
Ball valve G 2		426.048	9009261260483
Ball valve G 2 1/2		426.058	9009261260582
Ball valve G 3		426.050	9009261260506
		100	
Condensate drain valve G 1/8	32	426.300	9009261263002
Condensate drain valve G 1/4		426.298	9009261262982
Condensate drain valve G 3/8		400.940	9009261009402
Condensate drain valve G 1/2		400.942	9009261009426
Compressor oil 0.5 litres for SILKO 150,200	33	426.274	9009261262746
Oil for piston compressor 1 litre		447.212	9009261472121
Oil for piston compressor food H1 1 litre		447.213	9009261472138
Special compressor oil 1 litre for sub-zero temperatures		447.218	9009261472183
Oil for compressed air oiler 1 litre		447.220	9009261472206